



Cycle Times, Standard Tools



Model	V-2		V-4		V-5		V-9		V-25	
Tool	Extend	Retract	Extend	Retract	Extend	Retract	Extend	Retract	Extend	Retract
V-10	2.8	1.0	1.0	1.0	0.2	1.0	X	X	X	X
V-15	4.2	2.0	1.4	2.0	0.3	2.0	X	X	X	X
V-35	12.5	3.0	4.2	3.0	1.1	3.0	0.5	3.0	X	X
V-70	X	X	10.8	6.0	3.0	6.0	1.5	6.0	0.6	6.0
V-90	X	X	X	X	4.0	8.0	2.0	8.0	1.0	8.0
V-135	X	X	X	X	5.0	10.0	3.0	10.0	2.0	10.0
V-250	X	X	5.8	4.0	1.6	4.0	0.8	4.0	0.3	4.0
V-350	X	X	X	X	2.8	6.0	1.4	6.0	0.6	6.0
V-700	X	X	X	X	7.0	8.0	3.5	8.0	1.4	8.0
V-900	X	X	X	X	11.0	12.0	5.5	12.0	2.2	12.0
V-1350	X	X	X	X	X	X	8.5	15.0	3.5	15.0
V-10RS	7.5	1.5	2.5	1.5	0.5	1.5	X	X	X	X
V-25RS	X	X	7.3	4.0	1.6	4.0	0.8	4.0	X	X
V-15SC	7.0	3.0	2.3	3.0	0.5	3.0	X	X	X	X
V-35SC	X	X	5.0	4.0	1.4	4.0	0.7	4.0	X	X
V-70SC	X	X	X	X	3.0	7.0	1.5	7.0	0.6	7.0

X = Not Recommended

All times are in seconds.

Note: Cycle times are based on full forward and return stroke of tool. Actual cutting times are normally faster as full stroke is usually not required for cutting materials cold. Return stroke of ram is based on a 1/2" I.D. 15 ft. hose length and cycle time will vary when other length or size hoses are used.

Corporate Headquarters

Vale Industries Inc.
 122 Simonds Ave.,
 DeKalb, Illinois 60115-3992
 Phone: (815) 756-2426
 Fax: (815) 756-2735
 E-mail: info@vale-industries.com
www.vale-industries.com

International Division

Vale Industries Inc.
 115 S. 4th Avenue.
 St. Charles, Illinois 60174-2145
 Phone: (630) 584-1900
 Fax: (630) 584-2599